



贵州志洪远传动机械有限公司
GUIZHOU GZG TRANSMISSION CO., LIMITED

CHAIN Product Catalogue



GZG TRANSMISSION
0086-854-8190520
www.gzg-transmission.com

GZG TRANSMISSION CO., LIMITED



Guizhou GZG Transmisison Co., Limited locates in Duyun city, Guizhou province, which has been engaged in manufacturing mechanical transmission parts for years. Its products are widely used in diverse industries and highly demanded across the world.

Main products of GZG are standard chains and some non-standard but simple chains, clients may choose carbon steel or stainless steel according to their demands.

To clients from Europe, America, Africa, Asia etc, GZG is a reliable and trustworthy vendor. Customers trust GZG brand products and they are willing to run their equipments with its transmission parts due to the superior strength, durability, performance and long function life.

All GZG staff aim to provide customers high quality products with competitive price. And we'll try our best to offer clients an utmost satisfied service.

www.gzg-transmission.com

PRODUCT PICTURES



DRIVING CHAINS



CONVEYOR CHAINS



ENGINEERING CHAINS



LEAF CHAINS






STAINLESS STEEL CHAINS

A. DRIVING CHAINS	1-34
Short pitch precision roller chains(A series)	2-5
Short pitch precision roller chains(B series)	6-8
Heavy duty series roller chains(A series)	9-11
Heavy duty series roller chains(B series)	12
Heavy duty series roller chains(Non-standard)	13
Cottered type short pitch precision roller chains(A series)	14
Heavy duty series cottered type roller chains(A series)	15
SP series high strength short pitch chains	16
Heavy duty cranked-link transmission chains	17-20
Inverted tooth chains	21-24
Motorcycle chains	25-28
O-Ring motorcycle chains	29
Chain coupling	30
Coupling chains	31-33
Double pitch transmission chains	34
B. CONVEYOR CHAINS	35-55
Roller chains with straight side plates(A series)	36
Roller chains with straight side plates(B series)	37
Short pitch conveyor chain attachments	38-41
Double pitch conveyor chains	42-44
Short pitch conveyor chains with extended pins	45
Lumber conveyor chains & attachments	46-47
Hollow pin conveyor chains	48-54
C. ENGINEERING CHAINS	55-62
Conveyor chains for elevator	56-59
Palm oil chains	60-62
D. LEAF CHAINS	63-68
Leaf chains(AL series)	64
Leaf chains(BL series)	65-66
Leaf chains(LL series)	67-68
E. STAINLESS STEEL CHAINS	69-101
Stainless steel short pitch roller chains	70-72
Stainless steel short pitch roller chain with straight side plate	73-74
Stainless steel short pitch roller chain attachments	75-78
Stainless steel double pitch roller chains	79-80
Stainless steel double conveyor roller chain attachments	81-82
Stainless steel hollow pin chains	83-86
Stainless steel short pitch conveyor chains with extended pins	87-88
Stainless steel conveyor chains(M series)	89
Stainless steel conveyor chains(MC series)	90
Conveyor chains for cold drink production	91-93
Stainless steel side bow roller chains	94
Stainless steel Anti-sidebow chains for pushing window	95-96
Conveyor chains for sausage production	97-98
Stainless steel sharp top chains	99
Grip chains	100-101
Stainless steel double plus chain	102

DRIVING CHAINS


Chain coupling



Size	Applicable Range of shaft	Pilot dia	A	d	O	L	I	S	B	C	Max Angular Degree	Bolt	Max Torque Nm	Max Revolution rpm	Moment of inertia kg.cm	Required Amount of Grease kg	G kg
3012	12-16	12	69	25	45	64.8	29.8	5.2	63	10.2	1°	M6	190	5000	3.7	0.10	0.4
4012	12-22	12	77	33	62	79.4	36.0	7.4	72	14.4		M6	249	4800	5.5	0.10	0.8
4014	12-28	12	84	43	69	79.4	36.0	7.4	75	14.4		M6	329	4800	9.7	0.13	1.1
4016	14-32	14	92	48	77	87.4	40.0	7.4	75	14.4		M6	419	4800	14.4	0.17	1.4
5014	15-35	14	101	53	86	99.7	45.0	9.7	85	18.1		M8	620	3600	28.0	0.22	2.2
5016	16-40	16	111	60	93	99.7	45.0	9.7	85	18.1		M8	791	3600	37.0	0.26	2.7
5018	16-45	16	122	70	106	99.7	45.0	9.7	85	18.1		M8	979	3000	56.3	0.36	3.8
6018	20-56	20	142	85	127	123.5	56.0	11.5	105	22.8		M10	1810	2500	137.3	0.50	6.2
6020	20-60	20	158	98	139	123.5	56.0	11.5	105	22.8		M10	2210	2500	210.2	0.60	7.8
6022	20-71	20	168	110	151	123.5	56.0	11.5	117	22.8		M10	2610	2500	295.0	0.70	10.4
8018	20-80	20	190	110	169	141.2	63.0	15.2	129	29.3		M12	3920	2000	520.0	0.90	12.7
8020	20-90	20	210	121	185	145.2	65.0	15.2	137	29.3		M12	4800	2000	812.4	1.10	16.0
8022	20-100	20	226	140	202	157.2	71.0	15.2	137	29.3		M12	5640	1800	1110	1.20	20.2
10020	25-110	25	281	160	233	178.8	80.0	18.8	153	35.8		M12	8400	1800	2440	1.80	33.0
12018	35-125	35	307	170	256	202.7	90.0	22.7	181	45.4		M12	12700	1500	3940	3.20	47.0
12022	35-140	35	357	210	304	222.7	100.0	22.7	181	45.4		M12	18300	1250	7810	4.40	72.0
16018	63-160	53	375	228	340	254.1	112.0	30.1	240	58.5		M16	26400	1100	14530	7.20	108.0
16022	80-200	70	440	279	405	310.1	140.0	30.1	245	58.5		M16	38100	1000	32220	9.90	187.0
20018	82-205	75	465	289	425	437.5	200.0	37.5	285	71.6		M20	54100	800	50980	11.80	286.0
20022	100-255	90	545	363	506	477.5	220.0	37.5	300	71.6		M20	77800	600	111100	15.80	440.0
24022	120-310	110	650	448	607	650.0	302.5	45.0	340	87.8		M20	137000	600	310000	21.90	869.0
24026	150-360	140	745	526	704	700.0	327.5	45.0	350	87.8		M20	186000	500	598500	28.10	1260

Keyway dimensions conform to DIN 6885, GB 1095-1979 standards.

Quality First, Customer Supreme.



www.gzg-transmission.com

GZG TRANSMISSION

贵州志洪远传动机械有限公司

GUIZHOU GZG TRANSMISSION CO., LIMITED

T&F: 0086-854-8190520

Web: <https://www.gzg-transmission.com/>

Alibaba: <https://gzgtransmission.en.alibaba.com/>